Tallahassee Polymer Clay Art Guild August 2016 Meeting

One Way to Use Scrap Clay for a Veneer

By

Nancy Benham

Supplies

- Scrap clay many colors (or just two colors)
- Pasta machine
- Roller
- Blade (optional various cutting tools)
- Skewer
- Pointer tool & a slightly larger diameter pointer*
- Water
- Oven
- Jewelry findings (optional)

^{*}The holes may shrink after baking so make them a little larger if you are making jewelry depending on your stringing material. Many of the holes I made needed to be 'worked' with a boring tool after baking.

Make the Veneer

- 1) Collect pieces of scrap clay approximately 3"X ½"
- 2) Stack them alternately light and dark.
- 3) Compress and roll into a log.
- 4) Using hands at either end twist the log.
- 5) Fold log and flatten with a roller.
- 6) Place in pasta machine on thickest setting.
- 7) Continue to the thinnest setting.









Make the Backing for the Veneer

- 1) Prep another piece of scrap clay, any color, in the pasta machine.
- 2) Put it through to the middle thickness.
- 3) The backing should be approximately the same size as the veneer.
- 4) Place the veneer over the backing.
- 5) The veneer and backing can be pressed together using a rolling tool or placed in the pasta machine to the thickness you want.
- 6) The purpose of the backing is to give support to the very thin veneer making it easier to work with.





Cut the Veneer

- 1) Cut the veneer with a straight blade, a scalloped blade or any cutting tool of various shapes. I cut triangles with a straight blade.
- Place these individual veneer strips on another piece of scrap clay that has been put through the pasta machine on the middle thickness, or roll with a rolling tool. (you can play with different textures the individual cut pieces of veneer can be thicker than the backing to produce a 3-D effect or you may want a smooth flat effect.
- 3) Position the cut-out sections perpendicular to the triangles. I used a small rectangle.







Place the Cut Veneer on a Thick Back


- 1) Prep another piece of scrap clay and run through the pasta machine's thickest setting (my piece was approximately 6" X 3" for my purpose).
- 2) Line up a skewer about ¼" running along the edge of the backing.
- 3) Press to form a channel with the skewer.





Make Cannel in the Backing

- 1) Line the pieces over the channel of the backing.
- 2) Use a rolling tool to press the veneer and backing together trying not to crush the channel do not run through the pasta machine.
- 3) Recut the veneer with the cut-out tool.
- 4) Adjust shape and channel as needed.







Use Pointer Tool to Check for Channel Patency

- 1) Let the clay rest overnight or place in the fridge for 20 minutes.
- 2) Dip the pointer tool into water, insert the pointer into the hole
- 3) , and with a turning motion push the pointer through.
- 4) Avoid distorting the clay by frequently dipping the pointer in water.
- 5) When you meet resistance it is time to use more water.
- 6) Here are two bracelets made with scrap clay.



On-line Videos for Scrap Clay Ideas

- 1. The Bargello Technique, www. Polymer Clay Tutor.com
- 2. Another Way To Use Your Polymer Clay Scrap Extruder Cane Tutorial
- 3. Natasha Pendants With Charms

Tallahassee Polymer Clay Art Guild August 2016 Meeting	
One Way to Use Scrap Clay for a Veneer	
Ву	
Nancy Benham	

Supplies

- Scrap clay many colors (or just two colors)
- Pasta machine
- Roller
- Blade (optional various cutting tools)
- Skewer
- Pointer tool & a slightly larger diameter pointer*
- Water
- Oven
- Jewelry findings (optional)

*The holes may shrink after baking so make them a little larger if you are making jewelry depending on your stringing material. Many of the holes I made needed to be 'worked' with a boring tool after baking.

Make the Veneer

- 1) Collect pieces of scrap clay approximately 3"X ½"
- 2) Stack them alternately light and dark.
- Compress and roll into a log.
- $\begin{tabular}{ll} 4) & Using hands at either end twist the log. \\ \end{tabular}$
- Fold log and flatten with a roller.
- Place in pasta machine on thickest setting.
- 7) Continue to the thinnest setting.









Make the Backing for the Veneer

- $1) \qquad \hbox{Prep another piece of scrap clay, any color, in the pasta machine.}$
- 2) Put it through to the middle thickness.
- $\label{eq:3.1} \textbf{3)} \qquad \text{The backing should be approximately the same size as the veneer.}$
- 4) Place the veneer over the backing.
- 5) The veneer and backing can be pressed together using a rolling tool or placed in the pasta machine to the thickness you want.
- $6) \qquad \text{The purpose of the backing is to give support to the very thin veneer making it easier to work with.} \\$





Cut the Veneer

- 1) Cut the veneer with a straight blade, a scalloped blade or any cutting tool of various shapes. I cut triangles with a straight blade.
- 2) Place these individual veneer strips on another piece of scrap clay that has been put through the pasta machine on the middle thickness, or roll with a rolling tool. (you can play with different textures the individual cut pieces of veneer can be thicker than the backing to produce a 3-D effect or you may want a smooth flat effect.
- 3) Position the cut-out sections perpendicular to the triangles. I used a small rectangle.







Place the Cut Veneer on a Thick Back


- 1) Prep another piece of scrap clay and run through the pasta machine's thickest setting (my piece was approximately 6" X 3" for my purpose).
- 2) Line up a skewer about $\frac{1}{4}$ running along the edge of the backing.
- $\label{eq:continuous} 3) \qquad \text{Press to form a channel with the skewer.}$





Make Cannel in the Backing

- Line the pieces over the channel of the backing.
- 2) Use a rolling tool to press the veneer and backing together trying not to crush the channel do not run through the pasta machine.
- $3) \qquad \text{Recut the veneer with the cut-out tool.}$
- 4) Adjust shape and channel as needed.







Use Pointer Tool to Check for Channel Patency

- $1) \qquad \text{Let the clay rest overnight or place in the fridge for 20 minutes}.$
- 2) Dip the pointer tool into water, insert the pointer into the hole
- a) , and with a turning motion push the pointer through.
 4) Avoid distorting the clay by frequently dipping the pointer in water.
- $\label{eq:bounds} 5) \qquad \text{When you meet resistance it is time to use more water.}$
- 6) Here are two bracelets made with scrap clay.



On-line Videos for Scrap Clay Ideas

- The Bargello Technique, www. Polymer Clay Tutor.com
 Another Way To Use Your Polymer Clay Scrap Extruder Cane Tutorial
 Natasha Pendants With Charms